



Heron Botanicals

2017 Product Listings

26013 United Rd NE, Suite 110
Kingston, WA 98346

Toll Free: (888) 282-7136
Local: (360) 297-3400
Fax: (360) 297-3401

herbsales@heronbotanicals.com

© 2017 Heron Botanicals. All rights reserved.

Logo designed by Irene Clark

Botanical photographs by Eric Yarnell, ND, RH(AHG) and Megan Sirr

Cover design, layout, and typesetting by Fusion Creative Works

All contents of this catalog are copyright Heron Botanicals, Inc.

ABOUT US

Founded in 1982, Heron Botanicals produces artisan-quality herbal extracts for practitioners across North America. Located in the Pacific Northwest, we use local species and fresh plant material whenever possible, sourced from our extensive network of wildcrafters and organic farmers. We produce over 300 products utilizing Western, Chinese, and Ayurvedic herbs, as well as obscure herbs, an array of alcohol-free glycerites, and external use products. We are committed to staying on the cutting edge while honoring tradition and maintaining our dedication to quality and sustainability.

SIMPLE EXTRACTS

In the Simple Extracts portion of this booklet you will find a list of our current herbal extracts, arranged by Latin binomial. Heron Botanicals uses kosher ethanol and kosher vegetable glycerin. Simple extractions are available in the following sizes: 120, 240, 480, or 960 ml (4, 8, 16, or 32 oz respectively).

FORMULAS

We have a comprehensive offering of proprietary formulas developed by Dr. Silena Heron and Dr. Eric Yarnell. A complete listing of our proprietary formulas, including ingredients, can be found in the Formulas section of this booklet. Formulas are available in the following sizes: 120, 240, 480, or 960 ml (4, 8, 16, or 32 oz respectively). Due to the constraints of fresh-plant availability, Heron Botanicals reserves the right to substitute proprietary formula ingredients without prior notice. We are able to create custom formulas to your specifications on a contract manufacture basis. Please contact us for more information.

EXTERNAL USE PRODUCTS

In the External Use Products portion of this booklet you will find a list of our products intended for external use. Balms and ointments are available in 25 ml jars. Cream formulas are available in 120 or 450 ml jars, or at a minimum of 100 mls that can be dispensed into smaller 25 and 50 ml jars. Base creams are available in 25, 50, 120, or 450 ml jars. Infused oils are available in the same sizes as our simple extract offerings.

PRICING

All products are priced per milliliter according to a tiered system. Volume discounts are offered for 16 and 32 oz bottles of formula and simple extracts, and for 450 ml jars of external use creams. We reserve the right to modify prices at any time without notice. Please contact us for a current pricing reference sheet.

LOW DOSE DESIGNATED PRODUCTS

Low dose products are extracts of potent botanicals that are only appropriate in low doses and require extra care when used. Products with this designation are noted within this booklet as "LD". You must obtain prior approval to order these products. For more information, please contact us at herbsales@heronbotanicals.com.

PRODUCT VARIATION

Heron Botanicals liquid extractions are hand-processed in small batches using primarily fresh, wildcrafted, or organically cultivated herbs. Due to natural variations, weight-to-volume ratios and appearance may vary slightly from batch to batch.

PRODUCT AVAILABILITY

We cannot guarantee that all products will be available at all times, nor can we guarantee when a product will be back in stock. Because we are a business that is dependent upon the cycles of nature, product availability may vary from year to year. Certain plants may be harvested only once a year, often in a particular season, while others are simply not abundant enough in nature to responsibly harvest regularly. We can often give you a good idea of the season in which a product may become available, and are happy to keep your name on file so that you may receive notification of the return of a product as soon as possible.

CONTACT INFORMATION

For more information about Heron Botanicals, a complete description of our sales policies, and information on purchasing our products, please visit our website at **www.heronbotanicals.com**.

You may contact our Sales Office at:

888.282.7136 (toll free)

360.297.3400 (local)

360.297.3401 (fax)

herbsales@heronbotanicals.com (email)



Simple Extracts

Latin Name	Common Name	\$ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Achillea millefolium</i>	Yarrow	B	ACHI-MIL-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Achillea millefolium</i>	Yarrow	B	ACHI-MIL-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Aconitum carmichaelii</i>	Sichuan Aconite	C	ACON-CAR-DR-2D	root	Tinctured decoction	Dry	LD
<i>Acorus calamus</i>	Calamus	B	ACOR-CAL-TR-1F	rhizome	Tincture	Fresh	
<i>Actaea racemosa</i>	Black Cohosh	B	ACTA-RAC-TR-1F	rhizome & root	Tincture	Fresh	
<i>Aesculus hippocastanum</i>	Horse Chestnut	B	AESC-HIP-TS-1F	seed	Tincture	Fresh	
<i>Agastache rugosa</i>	Chinese Giant Hyssop	B	AGAS-RUG-TA-1F	aerial parts	Tincture	Fresh	
<i>Agathosma betulina</i>	Buchu	B	AGAT-BET-TL-1D	leaf	Tincture	Dry	
<i>Agrimonia eupatoria</i>	Agrimony	B	AGRI-EUP-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Ailanthus altissima</i>	Chinese Tree-of-Heaven	A	AILA-ALT-TA-1F	leaf & twig	Tincture	Fresh	
<i>Alchemilla mollis</i>	Lady's Cloak	B	ALCH-MOL-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Alchemilla vulgaris</i>	Lady's Mantle	B	ALCH-VUL-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Allium sativum</i>	Garlic	B	ALLI-SAT-GR-1F	bulb	Glycerite	Fresh	
<i>Allium sativum</i>	Garlic	B	ALLI-SAT-TR-1F	bulb	Tincture	Fresh	
<i>Althaea officinalis</i>	Marshmallow	B	ALTH-OFF-GL-1D	aerial parts	Glycerite	Dry	
<i>Althaea officinalis</i>	Marshmallow	B	ALTH-OFF-GR-1F	root	Glycerite	Fresh	
<i>Ambrosia spp.</i>	Ragweed	A	AMBR-SPP-TL-1F	leaf	Tincture	Fresh	
<i>Andrographis paniculata</i>	Andrographis	C	ANDR-PAN-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Andrographis paniculata</i>	Andrographis	C	ANDR-PAN-TA-1D	aerial parts	Tincture	Dry	
<i>Anemopsis californica</i>	Yerba Mansa	B	ANEM-CAL-TR-1F	root	Tincture	Fresh	
<i>Angelica archangelica</i>	Angelica	B	ANGE-ARC-TR-1F	root	Tincture	Fresh	
<i>Angelica sinensis</i>	Dong Quai	C	ANGE-SIN-GR-1D	root	Glycerite	Dry	
<i>Angelica sinensis</i>	Dong Quai	C	ANGE-SIN-TR-1D	root	Tincture	Dry	
<i>Annona muricata</i>	Soursop	B	ANNO-MUR-TL-1D	leaf	Tincture	Dry	
<i>Apium graveolens</i>	Celery	B	APIU-GRA-TT-1D	fruit	Tincture	Dry	
<i>Aralia californica</i>	California Spikenard	B	ARAL-CAL-TR-1F	root	Tincture	Fresh	
<i>Arbutus menziesii</i>	Pacific Madrone	B	ARBU-MEN-TL-1F	leaf	Tincture	Fresh	
<i>Arctium lappa</i>	Burdock	B	ARCT-LAP-GR-1F	root	Glycerite	Fresh	
<i>Arctium lappa</i>	Burdock	B	ARCT-LAP-TR-1D	root	Tincture	Dry	
<i>Arctium lappa</i>	Burdock	B	ARCT-LAP-TR-1F	root	Tincture	Fresh	
<i>Arctostaphylos uva-ursi</i>	Uva-Ursi	B	ARCT-UVA-TA-1F	aerial parts in fruit	Tincture	Fresh	

Latin Name	Common Name	\$ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Armoracia rusticana</i>	Horseradish	A	ARMO-RUS-TR-1F	root	Tincture	Fresh	
<i>Arnica spp.</i>	Arnica	B	ARNI-SPP-TF-2F	flower	Tincture	Fresh	LD
<i>Artemisia absinthium</i>	Wormwood	A	ARTE-ABS-TA-2F	aerial parts in flower	Tincture	Fresh	LD
<i>Artemisia annua</i>	Sweet Wormwood	B	ARTE-ANN-TA-1D	aerial parts in flower	Tincture	Dry	
<i>Artemisia annua</i>	Sweet Wormwood	B	ARTE-ANN-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Artemisia tridentata</i>	Sagebrush	B	ARTE-TRI-TA-1F	aerial parts	Tincture	Fresh	
<i>Asclepias tuberosa</i>	Pleurisy Root	B	ASCL-TUB-TR-1F	root	Tincture	Fresh	
<i>Astragalus membranaceus</i>	Astragalus	C	ASTR-MEM-GR-1D	root	Glycerite	Dry	
<i>Astragalus membranaceus</i>	Astragalus	C	ASTR-MEM-TR-1D	root	Tincture	Dry	
<i>Atractylodes macrocephala</i>	Bai-Zhu Atractylodes	B	ATRA-MAC-DR-1D	rhizome	Tinctured decoction	Dry	
<i>Atropa belladonna</i>	Belladonna	B	ATRO-BEL-TA-2F	aerial parts	Tincture	Fresh	LD
<i>Avena sativa</i>	Oat	B	AVEN-SAT-GS-1F	seed (milk stage)	Glycerite	Fresh	
<i>Avena sativa</i>	Oat	B	AVEN-SAT-TS-1F	seed (milk stage)	Tincture	Fresh	
<i>Azadirachta indica</i>	Neem	B	AZAD-IND-TL-1D	leaf	Tincture	Dry	
<i>Bacopa monnieri</i>	Bacopa	B	BACO-MON-TW-1F	whole plant	Tincture	Fresh	
<i>Bacopa monnieri</i>	Bacopa	B	BACO-MON-TA-1D	aerial parts	Tincture	Dry	
<i>Balsamorhiza sagittata</i>	Arrowleaf Balsamroot	B	BALS-SAG-TR-1F	root	Tincture	Fresh	
<i>Baptisia tinctoria</i>	Wild Indigo	B	BAPT-TIN-TR-1D	root	Tincture	Dry	
<i>Baptisia tinctoria</i>	Wild Indigo	B	BAPT-TIN-TR-1F	root	Tincture	Fresh	
<i>Barosma betulina</i>			see <i>Agathosma betulina</i>				
<i>Betula spp.</i>	Birch	A	BETU-SPP-TL-1F	leaf	Tincture	Fresh	
<i>Borago officinalis</i>	Borage	B	BORA-OFF-SA-1F	aerial parts in flower	Succus	Fresh	
<i>Bryonia cretica</i>	Red Bryony	A	BRYO-CRE-TR-2F	root	Tincture	Fresh	LD
<i>Bupleurum chinense</i>	Bupleurum	C	BUPL-CHI-DR-1D	root	Tinctured decoction	Dry	
<i>Bupleurum chinense</i>	Bupleurum	C	BUPL-CHI-TR-1D	root	Tincture	Dry	
<i>Calendula officinalis</i>	Calendula	B	CALE-OFF-GF-1F	flower	Glycerite	Fresh	
<i>Calendula officinalis</i>	Calendula	B	CALE-OFF-TF-1F	flower	Tincture	Fresh	
<i>Camellia sinensis</i>	Green Tea	B	CAME-SIN-GL-1D	leaf	Glycerite	Dry	
<i>Capsella bursa-pastoris</i>	Shepherd's Purse	A	CAPS-BUR-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Capsicum spp.</i>	Cayenne	B	CAPS-SPP-TT-1F	fruit	Tincture	Fresh	
<i>Capsicum spp.</i>	Cayenne	B	CAPS-SPP-TT-1D	fruit	Tincture	Dry	
<i>Castela emoryi</i>	Crucifixion Thorn	B	CAST-EMO-TA-1D	thorn	Tincture	Dry	
<i>Catharanthus roseus</i>	Madagascar Periwinkle	B	CATH-ROS-TA-1F	aerial parts in flower	Tincture	Fresh	

Latin Name	Common Name	\$ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Caulophyllum thalictroides</i>	Blue Cohosh	B	CAUL-THA-TR-1F	root	Tincture	Fresh	
<i>Ceanothus fendleri</i>	Fendler's Ceanothus	B	CEAN-FEN-TR-1F	root	Tincture	Fresh	
<i>Ceanothus greggii</i>	Desert Ceanothus	B	CEAN-GRE-TR-1F	root	Tincture	Fresh	
<i>Centella asiatica</i>	Gotu Kola	B	CENT-ASI-GW-1F	whole plant	Glycerite	Fresh	
<i>Centella asiatica</i>	Gotu Kola	B	CENT-ASI-TW-1F	whole plant	Tincture	Fresh	
<i>Cephaelis ipecacuanha</i>	Ipecac	B	CEPH-IPE-TR-2D	root	Tincture	Dry	LD
<i>Chelidonium majus</i>	Celandine	A	CHEL-MAJ-TW-1F	whole plant	Tincture	Fresh	
<i>Chenopodium ambrosioides</i>	Epazote	B	CHEN-AMB-TS-1D	seed	Tincture	Dry	
<i>Chenopodium ambrosioides</i>	Epazote	B	CHEN-AMB-TS-1F	seed	Tincture	Fresh	
<i>Chimaphila umbellata</i>	Pipsissewa	B	CHIM-UMB-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Chionanthus virginicus</i>	Fringe Tree	B	CHIO-VIR-GR-1D	root bark	Glycerite	Dry	
<i>Chionanthus virginicus</i>	Fringe Tree	B	CHIO-VIR-TR-1D	root bark	Tincture	Dry	
<i>Chionanthus virginicus</i>	Fringe Tree	B	CHIO-VIR-GR-1F	root bark	Glycerite	Fresh	
<i>Chionanthus virginicus</i>	Fringe Tree	B	CHIO-VIR-TR-1F	root bark	Tincture	Fresh	
<i>Cimicifuga racemosa</i>			see <i>Actaea racemosa</i>				
<i>Cinnamomum verum</i>	Cinnamon	C	CINN-VER-GB-1D	bark	Glycerite	Dry	
<i>Cinnamomum verum</i>	Cinnamon	C	CINN-VER-TB-1D	bark	Tincture	Dry	
<i>Clematis chinensis</i>	Chinese Clematis	A	CLEM-CHI-TR-1D	root	Tincture	Dry	
<i>Clematis spp.</i>	Virgin's Bower	B	CLEM-SPP-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Cnicus benedictus</i>	Blessed Thistle	A	CNIC-BEN-TA-1F	aerial parts	Tincture	Fresh	
<i>Codonopsis spp.</i>	Codonopsis	C	CODO-SPP-DR-1D	root	Tinctured decoction	Dry	
<i>Codonopsis spp.</i>	Codonopsis	C	CODO-SPP-TR-1D	root	Tincture	Dry	
<i>Collinsonia canadensis</i>	Stoneroot	B	COLL-CAN-TW-1F	whole plant	Tincture	Fresh	
<i>Convallaria majalis</i>	Lily-of-the-Valley	C	CONV-MAJ-TW-2F	whole plant	Tincture	Fresh	LD
<i>Convolvulus arvensis</i>	Field Bindweed	B	CONV-ARV-TA-2F	aerial parts in flower	Tincture	Fresh	LD
<i>Coptis chinensis</i>	Coptis	C	COPT-CHI-TR-1D	rhizome	Tincture	Dry	
<i>Coriandrum sativum</i>	Coriander	A	CORI-SAT-TL-1F	leaf	Tincture	Fresh	
<i>Corydalis yanhusuo</i>	Corydalis yanhusuo	C	CORY-YAN-DR-2D	rhizome	Tinctured decoction	Dry	LD

Latin Name	Common Name	§ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Crataegus monogyna</i>	Hawthorn	B	CRAT-MON-GT-1F	fruit	Glycerite	Fresh	
<i>Crataegus monogyna</i>	Hawthorn	B	CRAT-MON-TT-1F	fruit	Tincture	Fresh	
<i>Crataegus monogyna</i>	Hawthorn	B	CRAT-MON-GA-1F	leaf & flower	Glycerite	Fresh	
<i>Crataegus monogyna</i>	Hawthorn	B	CRAT-MON-TA-1F	leaf & flower	Tincture	Fresh	
<i>Crataegus monogyna</i>	Hawthorn	B	CRAT-MON-GW-1F	leaf, flower, & fruit	Glycerite	Fresh	
<i>Crataegus monogyna</i>	Hawthorn	B	CRAT-MON-TW-1F	leaf, flower, & fruit	Tincture	Fresh	
<i>Curcuma longa</i>	Turmeric	B	CURC-LON-TR-1D	rhizome	Tincture	Dry	
<i>Curcuma longa</i>	Turmeric	B	CURC-LON-TR-1F	rhizome	Tincture	Fresh	
<i>Cynara cardunculus</i>	Cardoon	A	CYNA-CAR-TL-1F	bracts	Tincture	Fresh	
<i>Cynara scolymus</i>	Artichoke	B	CYNA-SCO-TL-1F	bracts & leaf	Tincture	Fresh	
<i>Cytisus scoparius</i>	Scotch Broom	B	CYTI-SCO-TA-2F	aerial parts in flower	Tincture	Fresh	LD
<i>Datura stramonium</i>	Jimson Weed	B	DATU-STR-TL-2F	leaf	Tincture	Fresh	LD
<i>Dioscorea villosa</i>	Wild Yam	C	DIOS-VIL-TR-1F	root	Tincture	Fresh	
<i>Dipsacus sylvestris</i>	Teasel	A	DIPS-SYL-TR-1F	root	Tincture	Fresh	
<i>Echinacea angustifolia</i>	Echinacea angustifolia	B	ECHI-ANG-GR-1F	root	Glycerite	Fresh	
<i>Echinacea angustifolia</i>	Echinacea angustifolia	B	ECHI-ANG-TR-1F	root	Tincture	Fresh	
<i>Eclipta alba</i>	Eclipta	A	ECLI-ALB-TA-1D	aerial parts	Tincture	Dry	
<i>Eleutherococcus senticosus</i>	Eleuthero	B	ELEU-SEN-TR-1D	root	Tincture	Dry	
<i>Elymus repens</i>	Couch Grass	B	ELYM-REP-TR-1F	rhizome	Tincture	Fresh	
<i>Epilobium spp.</i>	Fireweed	A	EPIL-SPP-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Epimedium spp.</i>	Epimedium	C	EPIM-SPP-DA-1D	aerial parts	Tinctured decoction	Dry	
<i>Epimedium spp.</i>	Epimedium	C	EPIM-SPP-TA-1D	aerial parts	Tincture	Dry	
<i>Equisetum spp.</i>	Horsetail	A	EQUI-SPP-GA-1F	aerial parts (sterile shoots)	Glycerite	Fresh	
<i>Eriodictyon californicum</i>	Yerba Santa	B	ERIO-CAL-TL-1F	leaf	Tincture	Fresh	
<i>Eryngium yuccifolium</i>	Button Eryngo	B	ERYN-YUC-TR-1F	root	Tincture	Fresh	
<i>Eschscholzia californica</i>	California Poppy	B	ESCH-CAL-TW-1F	whole plant in flower	Tincture	Fresh	
<i>Eucalyptus globulus</i>	Eucalyptus	B	EUCA-GLO-TL-1F	leaf	Tincture	Fresh	
<i>Eupatorium fistulosum</i>	Trumpetweed	C	EUPA-FIS-TR-1F	root	Tincture	Fresh	

Latin Name	Common Name	\$ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Eupatorium perfoliatum</i>	Boneset	B	EUPA-PER-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Eupatorium purpureum</i>	Gravel Root	B	EUPA-PUR-TR-1F	root	Tincture	Fresh	
<i>Euphrasia spp.</i>	Eyebright	B	EUPH-SPP-TA-1D	aerial parts	Tincture	Dry	
<i>Fallopia japonica</i>			see <i>Polygonum cuspidatum</i>				
<i>Filipendula ulmaria</i>	Meadowsweet	A	FILI-ULM-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Foeniculum vulgare</i>	Fennel	B	FOEN-VUL-TT-1D	fruit	Tincture	Dry	
<i>Fouquieria splendens</i>	Ocotillo	B	FOUQ-SPL-TB-1F	bark	Tincture	Fresh	
<i>Frangula purshiana</i>	Cascara Sagrada	B	FRAN-PUR-TB-1D	bark	Tincture	Dry	
<i>Fumaria officinalis</i>	Fumitory	B	FUMA-OFF-TA-1D	aerial parts	Tincture	Dry	
<i>Galega officinalis</i>	Goat's Rue	B	GALE-OFF-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Galium aparine</i>	Cleavers	B	GALI-APA-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Galium aparine</i>	Cleavers	B	GALI-APA-SA-1F	aerial parts in flower	Succus	Fresh	
<i>Ganoderma lucidum</i>	Reishi	C	GANO-LUC-DM-1D	fruiting body	Tinctured decoction	Dry	
<i>Gelsemium sempervirens</i>	Gelsemium	B	GELS-SEM-TR-2D	root	Tincture	Dry	LD
<i>Gentiana lutea</i>	Gentian	B	GENT-LUT-GR-1D	root	Glycerite	Dry	
<i>Gentiana lutea</i>	Gentian	B	GENT-LUT-TR-1D	root	Tincture	Dry	
<i>Geranium maculatum</i>	Cranesbill	B	GERA-MAC-TR-1F	root	Tincture	Fresh	
<i>Ginkgo biloba</i>	Ginkgo	B	GINK-BIL-TL-1F	leaf	Tincture	Fresh	
<i>Glycyrrhiza glabra</i>	Licorice	B	GLYC-GLA-GR-1D	root	Glycerite	Dry	
<i>Glycyrrhiza glabra</i>	Licorice	B	GLYC-GLA-TR-1D	root	Tincture	Dry	
<i>Grindelia spp.</i>	Grindelia	B	GRIN-SPP-TF-1F	flower	Tincture	Fresh	
<i>Gymnema sylvestre</i>	Gymnema	B	GYMN-SYL-EL-1D	leaf	Fluid Extract	Dry	
<i>Hamamelis virginiana</i>	Witch Hazel	C	HAMA-VIR-TA-1F	leaf & twig	Tincture	Fresh	
<i>Humulus lupulus</i>	Hops	B	HUMU-LUP-TF-1F	strobile	Tincture	Fresh	
<i>Hydrangea arborescens</i>	Hydrangea	C	HYDR-ARB-TR-1F	root	Tincture	Fresh	
<i>Hydrastis canadensis</i>	Goldenseal	C	HYDR-CAN-GR-1F	root	Glycerite	Fresh	
<i>Hydrastis canadensis</i>	Goldenseal	C	HYDR-CAN-TR-1F	root	Tincture	Fresh	
<i>Hylocereus undatus</i>	Night-Blooming Cactus	C	HYLO-UND-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Hyoscyamus niger</i>	Henbane	B	HYOS-NIG-TA-2F	aerial parts in flower	Tincture	Fresh	LD
<i>Hypericum perforatum</i>	St. John's Wort	B	HYPE-PER-GA-1F	aerial parts in flower	Glycerite	Fresh	

Latin Name	Common Name	§ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Hypericum perforatum</i>	St. John's Wort	B	HYPE-PER-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Hyssopus officinalis</i>	Hyssop	B	HYSS-OFF-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Inula helenium</i>	Elecampane	B	INUL-HEL-GR-1F	root	Glycerite	Fresh	
<i>Inula helenium</i>	Elecampane	B	INUL-HEL-TR-1F	root	Tincture	Fresh	
<i>Iris versicolor</i>	Blue Flag	B	IRIS-VER-TR-2D	rhizome	Tincture	Dry	LD
<i>Isatis indigotica</i>	Isatis	C	ISAT-IND-DR-1D	root	Tinctured decoction	Dry	
<i>Isatis tinctoria</i>	Dyer's Woad	B	ISAT-TIN-TR-1F	root	Tincture	Fresh	
<i>Juglans nigra</i>	Black Walnut	B	JUGL-NIG-TT-1F	hulls	Tincture	Fresh	
<i>Juniperus communis</i>	Juniper	C	JUNI-COM-TT-1D	fruit	Tincture	Dry	
<i>Lactuca spp.</i>	Wild Lettuce	A	LACT-SPP-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Larix occidentalis</i>	Western Larch	A	LARI-OCC-TB-1F	bark	Tincture	Fresh	
<i>Larrea tridentata</i>	Chaparral	B	LARR-TRI-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Lavandula angustifolia</i>	Lavender	B	LAVA-SPP-TF-1D	flower	Tincture	Dry	
<i>Lavandula angustifolia</i>	Lavender	B	LAVA-SPP-TF-1F	flower	Tincture	Fresh	
<i>Leonurus cardiaca</i>	Motherwort	B	LEON-CAR-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Leonurus cardiaca</i>	Motherwort	B	LEON-CAR-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Lespedeza capitata</i>	Round-Head Lespedeza	B	LESP-CAP-TA-1D	aerial parts in flower	Tincture	Dry	
<i>Ligusticum grayi</i>	Gray's Lovage	B	LIGU-GRA-GR-1F	root	Glycerite	Fresh	
<i>Ligusticum grayi</i>	Gray's Lovage	B	LIGU-GRA-TR-1F	root	Tincture	Fresh	
<i>Ligusticum porteri</i>	Osha	C	LIGU-POR-TR-1F	root	Tincture	Fresh	
<i>Lithospermum ruderae</i>	Western Stoneseed	B	LITH-RUD-GR-1F	root	Glycerite	Fresh	
<i>Lithospermum ruderae</i>	Western Stoneseed	C	LITH-RUD-TR-1F	root	Tincture	Fresh	
<i>Lobaria pulmonaria</i>	Lungwort Lichen	B	LOBA-PUL-TA-1F	thallus	Tincture	Fresh	
<i>Lobelia inflata</i>	Lobelia	B	LOBE-INF-AA-2F	aerial parts in flower & fruit	Acetract	Fresh	LD
<i>Lobelia inflata</i>	Lobelia	B	LOBE-INF-TA-2F	aerial parts in flower & fruit	Tincture	Fresh	LD
<i>Lomatium dissectum</i>	Lomatium	B	LOMA-DIS-TR-1F	root	Tincture	Fresh	
<i>Lonicera spp.</i>	Honeysuckle	B	LONI-SPP-TF-1F	flower	Tincture	Fresh	
<i>Lycium chinense</i>	Lycium	A	LYCI-CHI-GT-1D	fruit	Glycerite	Dry	
<i>Lycopus spp.</i>	Bugleweed	A	LYCO-SPP-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Lysichiton americanus</i>	Western Skunk Cabbage	A	LYSI-AME-TR-1F	root	Tincture	Fresh	


Latin Name	Common Name	§ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Mahonia aquifolium</i>	Oregon Grape	B	MAHO-AQU-GR-1F	root	Glycerite	Fresh	
<i>Mahonia aquifolium</i>	Oregon Grape	B	MAHO-AQU-TR-1F	root	Tincture	Fresh	
<i>Mahonia spp.</i>	Oregon Grape	B	MAHO-SPP-TW-1F	root & fruit	Tincture	Fresh	
<i>Marrubium vulgare</i>	Horehound	B	MARR-VUL-GA-1D	aerial parts in flower	Glycerite	Dry	
<i>Marrubium vulgare</i>	Horehound	B	MARR-VUL-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Matricaria recutita</i>	Chamomile	B	MATR-REC-GF-1D	flower	Glycerite	Dry	
<i>Matricaria recutita</i>	Chamomile	B	MATR-REC-GF-1F	flower	Glycerite	Fresh	
<i>Matricaria recutita</i>	Chamomile	B	MATR-REC-TF-1D	flower	Tincture	Dry	
<i>Matricaria recutita</i>	Chamomile	B	MATR-REC-TF-1F	flower	Tincture	Fresh	
<i>Medicago sativa</i>	Alfalfa	B	MEDI-SAT-GA-1F	aerial parts	Glycerite	Fresh	
<i>Medicago sativa</i>	Alfalfa	B	MEDI-SAT-TA-1F	aerial parts	Tincture	Fresh	
<i>Melilotus alba</i>	White Sweetclover	B	MELI-ALB-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Melissa officinalis</i>	Lemon Balm	B	MELI-OFF-GA-1F	aerial parts	Glycerite	Fresh	
<i>Melissa officinalis</i>	Lemon Balm	B	MELI-OFF-TA-1F	aerial parts	Tincture	Fresh	
<i>Mentha x piperita</i>	Peppermint	B	MENT-PIP-TA-1F	aerial parts	Tincture	Fresh	
<i>Menyanthes trifoliata</i>	Bog Bean	B	MENY-TRI-TL-1F	leaf	Tincture	Fresh	
<i>Mitchella repens</i>	Partridge Berry	B	MITC-REP-TA-1F	leaf & fruit	Tincture	Fresh	
<i>Momordica charantia</i>	Bitter Melon	B	MOMO-CHA-TT-1F	fruit	Tincture	Fresh	
<i>Nepeta cataria</i>	Catnip	B	NEPE-CAT-GA-1F	aerial parts	Glycerite	Fresh	
<i>Nepeta cataria</i>	Catnip	B	NEPE-CAT-TA-1F	aerial parts	Tincture	Fresh	
<i>Nuphar lutea</i>	Yellow Pond-Lily	B	NUPH-LUT-TR-1F	rhizome	Tincture	Fresh	
<i>Ocimum tenuiflorum</i>	Holy Basil	B	OCIM-TEN-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Olea europaea</i>	Olive	B	OLEA-EUR-TL-1F	leaf	Tincture	Fresh	
<i>Oplopanax horridus</i>	Devil's Club	B	OPLO-HOR-GR-1F	root bark	Glycerite	Fresh	
<i>Oplopanax horridus</i>	Devil's Club	B	OPLO-HOR-TR-1F	root bark	Tincture	Fresh	
<i>Osmorhiza occidentalis</i>	Sweet Root	B	OSMO-OCC-TR-1F	root	Tincture	Fresh	
<i>Paeonia lactiflora</i>	Chinese Peony ("White Peony")	C	PAEO-LAC-DR-1D	root without bark	Tinctured decoction	Dry	
<i>Paeonia lactiflora</i>	Chinese Peony ("White Peony")	C	PAEO-LAC-TR-1D	root without bark	Tincture	Dry	
<i>Panax quinquefolius</i>	American Ginseng	varies	PANA-QUI-TR-1D	root	Tincture	Dry	
<i>Panax quinquefolius</i>	American Ginseng	varies	PANA-QUI-TR-1F	root	Tincture	Fresh	
<i>Parietaria judaica</i>	Pellitory-of-the-Wall	C	PARI-JUD-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Passiflora incarnata</i>	Passionflower	B	PASS-INC-GA-1F	aerial parts in flower	Glycerite	Fresh	

Latin Name	Common Name	\$ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Passiflora incarnata</i>	Passionflower	B	PASS-INC-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Pausinystalia johimbe</i>	Yohimbe	B	PAUS-JOH-TB-2D	bark	Tincture	Dry	LD
<i>Pedicularis bracteosa</i>	Towering Lousewort	C	PEDI-BRA-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Pedicularis racemosa</i>	Sicketop Betony	C	PEDI-RAC-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Petasites palmatus</i>	Butterbur	B	PETA-PAL-GL-1F	leaf	Glycerite	Fresh	
<i>Petroselinum crispum</i>	Parsley	C	PETR-CRI-TR-1F	root	Tincture	Fresh	
<i>Physostigma venenosum</i>	Calabar Bean	B	PHYS-VEN-TS-1D	seed	Tincture	Dry	
<i>Phytolacca americana</i>	Poke	B	PHYT-AME-TR-2F	root	Tincture	Fresh	LD
<i>Picea sitchensis</i>	Sitka Spruce	C	PICE-SIT-TA-1F	branch tips	Tincture	Fresh	
<i>Picea sitchensis</i>	Sitka Spruce	C	PICE-SIT-TZ-1F	resin	Tincture	Fresh	
<i>Picrasma excelsa</i>	Jamaica Quassia	B	PICR-EXC-TB-1D	bark	Tincture	Dry	
<i>Picrorhiza kurroa</i>	Kutki	B	PICR-KUR-ER-1D	root	Fluid Extract	Dry	
<i>Pimpinella anisum</i>	Anise	B	PIMP-ANI-TT-1D	fruit	Tincture	Dry	
<i>Piper methysticum</i>	Kava	B	PIPE-MET-TR-1F	root	Tincture	Fresh	
<i>Piscidia piscipula</i>	Jamaican Dogwood	B	PISC-PIS-TB-1D	bark	Tincture	Dry	
<i>Plantago lanceolata</i>	English Plantain	B	PLAN-LAN-GL-1F	leaf	Glycerite	Fresh	
<i>Plantago lanceolata</i>	English Plantain	B	PLAN-LAN-TL-1F	leaf	Tincture	Fresh	
<i>Polygonum cuspidatum</i>	Japanese Knotweed	B	POLY-CUS-TR-1F	rhizome	Tincture	Fresh	
<i>Polygonum multiflorum</i>	Fo-Ti	C	POLY-MUL-DR-1D	root	Tincture	Dry	
<i>Populus balsamifera</i>	Balsam Poplar	C	POPU-BAL-TL-1F	leaf buds	Tincture	Fresh	
<i>Prunella vulgaris</i>	Heal All	C	PRUN-VUL-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Prunus serotina</i>	Black Cherry	C	PRUN-SER-GB-1F	bark	Glycerite	Fresh	
<i>Pterocarpus marsupium</i>	Indian Kino Tree	B	PTER-MAR-EZ-1D	gum	Fluid Extract	Dry	
<i>Pueraria montana</i>	Kudzu	B	PUER-MON-GR-1D	root	Glycerite	Dry	
<i>Pulsatilla occidentalis</i>	Western Pasque Flower	C	PULS-OCC-TA-2F	aerial parts in seed	Tincture	Fresh	LD
<i>Punica granatum</i>	Pomegranate	B	PUNI-GRA-TF-1F	flower	Tincture	Fresh	
<i>Quercus spp.</i>	Oak	C	QUER-SPP-TB-1F	bark	Tincture	Fresh	
<i>Rehmannia glutinosa</i>	Rehmannia	C	REHM-GLU-DR-1D	root	Tincture	Dry	
<i>Rhamnus purshiana</i>			see <i>Frangula purshiana</i>				
<i>Rheum spp.</i>	Chinese Rhubarb	C	RHEU-SPP-TR-1D	root	Tincture	Dry	
<i>Rhodiola rosea</i>	Rhodiola	B	RHOD-ROS-GR-1D	root	Glycerite	Dry	

Latin Name	Common Name	§ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Rhodiola rosea</i>	Rhodiola	B	RHOD-ROS-TR-1D	root	Tincture	Dry	
<i>Rhodiola rosea</i>	Rhodiola	B	RHOD-ROS-TR-1F	root	Tincture	Fresh	
<i>Rhus glabra</i>	Smooth Sumac	A	RHUS-GLA-TR-1F	root bark	Tincture	Fresh	
<i>Rorippa nasturtium-aquaticum</i>	Watercress	B	RORI-NAS-GA-1F	aerial parts	Glycerite	Fresh	
<i>Rosa spp.</i>	Rose	B	ROSA-SPP-GF-1D	flower	Glycerite	Dry	
<i>Rosa spp.</i>	Rose	B	ROSA-SPP-GF-1F	flower	Glycerite	Fresh	
<i>Rosmarinus officinalis</i>	Rosemary	B	ROSM-OFF-TA-1F	aerial parts	Tincture	Fresh	
<i>Rubia tinctoria</i>	Madder	B	RUBI-TIN-TR-1F	root	Tincture	Fresh	
<i>Rubus discolor</i>	Himalayan Blackberry	B	RUBU-DIS-TL-1F	leaf	Tincture	Fresh	
<i>Rubus discolor</i>	Himalayan Blackberry	B	RUBU-DIS-GR-1F	root	Glycerite	Fresh	
<i>Rubus discolor</i>	Himalayan Blackberry	B	RUBU-DIS-TR-1F	root	Tincture	Fresh	
<i>Rumex spp.</i>	Dock	B	RUME-SPP-GR-1F	root	Glycerite	Fresh	
<i>Rumex spp.</i>	Dock	B	RUME-SPP-TR-1F	root	Tincture	Fresh	
<i>Salix spp.</i>	Willow	B	SALI-SPP-TB-1F	bark	Tincture	Fresh	
<i>Salvia apiana</i>	White Sage	B	SALV-API-GA-1F	aerial parts	Glycerite	Fresh	
<i>Salvia apiana</i>	White Sage	B	SALV-API-TA-1F	aerial parts	Tincture	Fresh	
<i>Salvia miltiorrhiza</i>	Chinese Salvia	B	SALV-MIL-TR-1F	root	Tincture	Fresh	
<i>Salvia miltiorrhiza</i>	Chinese Salvia	C	SALV-MIL-TR-1D	root	Tincture	Dry	
<i>Sambucus cerulea</i>	Blue Elder	B	SAMB-CER-TT-1F	fruit	Tincture	Fresh	
<i>Sambucus cerulea</i>	Blue Elder	B	SAMB-CER-GF-1F	flower	Glycerite	Fresh	
<i>Sambucus cerulea</i>	Blue Elder	B	SAMB-CER-TF-1F	flower	Tincture	Fresh	
<i>Sambucus nigra</i>	European Elder	C	SAMB-NIG-GT-1D	fruit	Glycerite	Dry	
<i>Sanguinaria canadensis</i>	Bloodroot	B	SANG-CAN-TR-2F	root	Tincture	Fresh	LD
<i>Schisandra chinensis</i>	Schisandra	C	SCHI-CHI-GT-1D	fruit	Glycerite	Dry	
<i>Schisandra chinensis</i>	Schisandra	C	SCHI-CHI-TT-1D	fruit	Tincture	Dry	
<i>Scrophularia nodosa</i>	Figwort	B	SCRO-NOD-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Scutellaria baicalensis</i>	Chinese Skullcap	B	SCUT-BAI-TR-1F	root	Tincture	Fresh	
<i>Scutellaria lateriflora</i>	Skullcap	B	SCUT-LAT-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Scutellaria lateriflora</i>	Skullcap	B	SCUT-LAT-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Serenoa repens</i>	Saw Palmetto	B	SERE-REP-TT-1D	fruit	Tincture	Dry	
<i>Silybum marianum</i>	Milk Thistle	B	SILY-MAR-TT-1D	fruit	Tincture	Dry	
<i>Smilax rotundifolia</i>	Roundleaf Greenbriar	C	SMIL-ROT-TR-1F	root	Tincture	Fresh	

Latin Name	Common Name	\$ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Solidago canadensis</i>	Canadian Goldenrod	B	SOLI-CAN-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Spilanthes acmella</i>	Spilanthes	B	SPIL-ACM-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Stachys officinalis</i>	Wood Betony	B	STAC-OFF-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Stellaria media</i>	Chickweed	B	STEL-MED-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Stellaria media</i>	Chickweed	B	STEL-MED-SA-1F	aerial parts in flower	Succus	Fresh	
<i>Stevia rebaudiana</i>	Stevia	B	STEV-REB-GL-1F	leaf	Glycerite	Fresh	
<i>Stillingia sylvatica</i>	Stillingia	B	STIL-SYL-TR-1F	root	Tincture	Fresh	
<i>Symphytum officinale</i>	Comfrey	B	SYMP-OFF-GL-2F	leaf	Glycerite	Fresh	LD
<i>Syzygium aromaticum</i>	Clove	C	SYZY-ARO-TF-1D	bud	Tincture	Dry	
<i>Tanacetum parthenium</i>	Feverfew	B	TANA-PAR-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Tanacetum vulgare</i>	Tansy	B	TANA-VUL-TA-2F	aerial parts in flower	Tincture	Fresh	LD
<i>Taraxacum officinale</i>	Dandelion	B	TARA-OFF-GL-1F	leaf	Glycerite	Fresh	
<i>Taraxacum officinale</i>	Dandelion	B	TARA-OFF-TL-1F	leaf	Tincture	Fresh	
<i>Taraxacum officinale</i>	Dandelion	B	TARA-OFF-GR-1F	root	Glycerite	Fresh	
<i>Taraxacum officinale</i>	Dandelion	B	TARA-OFF-TR-1F	root	Tincture	Fresh	
<i>Taraxacum officinale</i>	Dandelion	B	TARA-OFF-TW-1F	leaf & root	Tincture	Fresh	
<i>Taxus brevifolia</i>	Pacific Yew	B	TAXU-BRE-TA-2F	branch tips	Tincture	Fresh	LD
<i>Taxus brevifolia</i>	Pacific Yew	B	TAXU-BRE-TB-2D	bark	Tincture	Dry	LD
<i>Thuja plicata</i>	Western Red Cedar	B	THUJ-PLI-TA-1F	branch tips	Tincture	Fresh	
<i>Thymus vulgaris</i>	Thyme	A	THYM-VUL-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Tilia spp.</i>	Linden	C	TILI-SPP-TA-1F	leaf & flower	Tincture	Fresh	
<i>Trametes versicolor</i>	Turkey Tail	C	TRAM-VER-DM-1D	fruiting body	Tinctured decoction	Dry	
<i>Tribulus terrestris</i>	Tribulus	A	TRIB-TER-TA-1F	aerial parts in seed	Tincture	Fresh	
<i>Tribulus terrestris</i>	Tribulus	A	TRIB-TER-TA-1D	aerial parts in seed	Tincture	Dry	
<i>Trichosanthes kirilowii</i>	Trichosanthes	B	TRIC-KIR-TR-2D	root	Tincture	Dry	LD
<i>Trifolium pratense</i>	Red Clover	A	TRIF-PRA-GF-1F	flower	Glycerite	Fresh	
<i>Trifolium pratense</i>	Red Clover	A	TRIF-PRA-TF-1F	flower	Tincture	Fresh	
<i>Trigonella foenum-graecum</i>	Fenugreek	B	TRIG-FOE-TS-1D	seed	Tincture	Dry	
<i>Turnera diffusa</i>	Damiana	B	TURN-DIF-TL-1D	leaf	Tincture	Dry	
<i>Tussilago farfara</i>	Coltsfoot	B	TUSS-FAR-TL-1F	leaf	Tincture	Fresh	

Latin Name	Common Name	\$ Code	Product Code	Plant Part	Extraction	Fresh	Low-Dose
<i>Urginea maritima</i>	Red Squill	B	URGI-MAR-TR-2F	bulb	Tincture	Fresh	LD
<i>Urtica dioica</i>	Stinging Nettle	B	URTI-DIO-GL-1F	leaf	Glycerite	Fresh	
<i>Urtica dioica</i>	Stinging Nettle	B	URTI-DIO-TL-1F	leaf	Tincture	Fresh	
<i>Urtica dioica</i>	Stinging Nettle	B	URTI-DIO-TR-1F	rhizome & root	Tincture	Fresh	
<i>Urtica dioica</i>	Stinging Nettle	C	URTI-DIO-TS-1F	seed	Tincture	Fresh	
<i>Usnea spp.</i>	Usnea	B	USNE-SPP-TA-1F	thallus	Tincture	Fresh	
<i>Vaccinium spp.</i>	Huckleberry	B	VACC-SPP-TA-1F	leaf & fruit	Tincture	Fresh	
<i>Valeriana sitchensis</i>	Pacific Valerian	B	VALE-SIT-GR-1F	root	Glycerite	Fresh	
<i>Valeriana sitchensis</i>	Pacific Valerian	B	VALE-SIT-TR-1F	root	Tincture	Fresh	
<i>Veratrum viride</i>	American Hellebore	B	VERA-VIR-TR-2F	root	Tincture	Fresh	LD
<i>Verbascum spp.</i>	Mullein	C	VERB-SPP-GF-1F	flower	Glycerite	Fresh	
<i>Verbascum spp.</i>	Mullein	B	VERB-SPP-GL-1F	leaf	Glycerite	Fresh	
<i>Verbascum spp.</i>	Mullein	B	VERB-SPP-TL-1F	leaf	Tincture	Fresh	
<i>Verbascum spp.</i>	Mullein	B	VERB-SPP-TR-1F	root	Tincture	Fresh	
<i>Verbena hastata</i>	Blue Vervain	B	VERB-HAS-GA-1F	aerial parts in flower	Glycerite	Fresh	
<i>Verbena hastata</i>	Blue Vervain	B	VERB-HAS-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Verbena officinalis</i>	European Vervain	B	VERB-OFF-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Veronicastrum virginicum</i>	Culver's Root	B	VERO-VIR-TR-1F	root	Tincture	Fresh	
<i>Viburnum opulus</i>	Cramp Bark	C	VIBU-OPU-GB-1F	bark	Glycerite	Fresh	
<i>Viburnum opulus</i>	Cramp Bark	B	VIBU-OPU-TB-1F	bark	Tincture	Fresh	
<i>Viburnum prunifolium</i>	Black Haw	B	VIBU-PRU-TB-1F	bark	Tincture	Fresh	
<i>Vinca major</i>	Greater Periwinkle	A	VINC-MAJ-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Viola spp.</i>	Violet	B	VIOL-SPP-TA-1F	aerial parts in flower	Tincture	Fresh	
<i>Viscum album</i>	European Mistletoe	A	VISC-ALB-TW-2F	whole plant	Tincture	Fresh	LD
<i>Vitex agnus-castus</i>	Chaste Tree	B	VITE-AGN-GT-1F	mature fruit	Glycerite	Fresh	
<i>Vitex agnus-castus</i>	Chaste Tree	B	VITE-AGN-TT-1F	mature fruit	Tincture	Fresh	
<i>Withania somnifera</i>	Ashwagandha	B	WITH-SOM-TR-1F	root	Tincture	Fresh	
<i>Zanthoxylum clava-herculis</i>	Southern Prickly Ash	B	ZANT-CLA-TB-1D	bark	Tincture	Dry	
<i>Zea mays</i>	Corn	B	ZEAX-MAY-TA-1F	stigma & style	Tincture	Fresh	
<i>Zingiber officinale</i>	Ginger	B	ZING-OFF-GR-1F	rhizome	Glycerite	Fresh	
<i>Zingiber officinale</i>	Ginger	B	ZING-OFF-TR-1F	rhizome	Tincture	Fresh	
<i>Zingiber officinale</i>	Ginger	B	ZING-OFF-TR-1D	rhizome	Tincture	Dry	
<i>Ziziphus jujuba</i>	Jujube	A	ZIZI-JUJ-TT-1F	fruit	Tincture	Fresh	



Formulas

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
CARD-531	Y	LD		Placid Heart	Ingredients: water, alcohol, vegetable glycerin, Hawthorn leaf, flower, & fruit, Motherwort aerial parts in flower, Night-Blooming Cactus aerial parts in flower, Yarrow aerial parts in flower, Pacific Valerian root, Lily-of-the-Valley whole plant, Scotch Broom aerial parts in flower, apple cider vinegar, citric acid
CARD-532B	Y			Calm Water	Ingredients: water, alcohol, vegetable glycerin, Hawthorn leaf, flower, & fruit, Dandelion leaf, Olive leaf, Linden leaf & flower, European Mistletoe whole plant, Garlic bulb, Yarrow aerial parts in flower, Reishi fruiting body, citric acid
CELL-774	Y	LD		Catch Me If You Can	Ingredients: water, alcohol, Soursop leaf, Madagascar Periwinkle aerial parts in flower, Oregon Grape root & fruit, Poke root, Pacific Yew branch tips, Chinese Rhubarb root, Chaparral aerial parts in flower, Pacific Bleeding Heart whole plant, Trichosanthes root, vegetable glycerin
CELL-783B	Y	LD		Cloud Nine	Ingredients: water, alcohol, Wild Lettuce aerial parts in flower, Willow bark, Pacific Valerian root, Jamaica Dogwood bark, Corydalis yanhusuo rhizome, Western Pasque Flower aerial parts in seed, Sichuan Aconite root, Henbane aerial parts in flower, vegetable glycerin, apple cider vinegar
DERM-601	Z		EX	Achilles' Cream	Ingredients: Calendula cream, Garlic cream, Balsam Poplar leaf buds, Oregon Grape root & fruit, Western Red Cedar branch tips
DERM-602	Z		EX	Banishing Cream	Ingredients: Chickweed cream, Gotu Kola whole plant, vitamin E oil
DERM-681	Z		EX	Achilles' Ointment	Ingredients: Olive oil, English Plantain leaf, Echinacea angustifolia root, Calendula flower, St. John's Wort aerial parts in flower, Balsam Poplar leaf buds, Garlic bulb, beeswax, vitamin E oil
DERM-683	Z		EX	Bandage Balm	Ingredients: Olive oil, Calendula flower, St. John's Wort aerial parts in flower, English Plantain leaf, Heal All aerial parts in flower, beeswax, vitamin E oil
DERM-684	Z		EX	Triple-L Ointment	Ingredients: Olive oil, English Lavender flower, Lemon Balm aerial parts, Chaparral aerial parts in flower, beeswax, vitamin E oil

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
ENDO-844	Y			Root of Life	Ingredients: water, alcohol, vegetable glycerin, Astragalus root, Devil's Club root bark, Licorice root, Rhodiola root, Gotu Kola whole plant, California Spikenard root, Ashwagandha root, Borage aerial parts in flower, citric acid
ENDO-845	Y			Dampen the Fire	Ingredients: water, alcohol, vegetable glycerin, Lemon Balm aerial parts, Hawthorn leaf, flower, & fruit, Bugleweed aerial parts in flower, Motherwort aerial parts in flower, Western Stoneseed root, Fucus thallus, Watercress aerial parts, citric acid
ENDO-846	Y	LD		Stoke the Fire	Ingredients: water, alcohol, vegetable glycerin, Gotu Kola whole plant, Fucus thallus, Blue Flag rhizome, Poke root, Oregon Grape root, Wormwood aerial parts in flower, Cayenne fruit, citric acid
GAST-610	Z			Robert's Formula	Ingredients: water, alcohol, vegetable glycerin, Echinacea angustifolia root, Marshmallow root, Goldenseal root, Cranesbill root, Ginger rhizome, Poke root, citric acid
GAST-621	X			Xylem & Phloem Tonic Glycerite	Ingredients: vegetable glycerin, water, Dandelion root, Burdock root, Schisandra fruit, Licorice root, Fringe Tree root bark, Oregon Grape root, Gentian root, citric acid, trace alcohol
GAST-623B	X			Temper the Bear	Ingredients: water, alcohol, vegetable glycerin, Fumitory aerial parts, Artichoke bracts & leaf, Celandine whole plant, Peppermint aerial parts, Licorice root, Dandelion root, Wormwood aerial parts in flower, citric acid
GAST-625	X			Bitters	Ingredients: water, alcohol, Gentian root, Yarrow aerial parts in flower, Dandelion leaf & root, Wormwood aerial parts in flower, vegetable glycerin
GAST-630B	Z			Purge the Spirits	Ingredients: water, alcohol, Western Red Cedar branch tips, Anise fruit, Jamaica Quassia bark, Chinese Tree-of-Heaven leaf & twig, Sagebrush aerial parts, Oregon Grape root & fruit, Bogbean leaf, Black Walnut hulls, Ginger rhizome, Tansy aerial parts in flower, Celandine whole plant, Chinese Rhubarb root, Neem leaf, vegetable glycerin *CONTAINS WALNUT
GAST-632B	X			Squeeze the Juice	Ingredients: water, alcohol, vegetable glycerin, Fringe Tree root bark, Celandine whole plant, Fumitory aerial parts, Dandelion root, Oregon Grape root & fruit, Peppermint aerial parts, Desert Ceanothus root, Blue Flag rhizome, citric acid

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
GAST-634	Y	LD		Purge the Whorl	Ingredients: water, alcohol, vegetable glycerin, Oregon Grape root & fruit, Licorice root, Thyme aerial parts in flower, Sweet Wormwood aerial parts in flower, Jamaica Quassia bark, Tansy aerial parts in flower, Wormwood aerial parts in flower, Chinese Rhubarb root, Chaparral aerial parts in flower, citric acid
GAST-670	X			Bitters Glycerite	Ingredients: vegetable glycerin, water, Horehound aerial parts in flower, Dandelion root, Yarrow aerial parts in flower, Gentian root, Dandelion leaf, Oregon Grape root, citric acid, trace alcohol
IMMU-704	Y			On the Hunt	Ingredients: water, alcohol, vegetable glycerin, European Elder fruit, Echinacea angustifolia root, St. John's Wort aerial parts in flower, Isatis root, Wild Indigo root, Poke root, Violet aerial parts in flower, Gray's Lovage root, Lomatium root, Ocotillo bark, citric acid
IMMU-710	Y			Kiss Again	Ingredients: water, alcohol, vegetable glycerin, Licorice root, St. John's Wort aerial parts in flower, Lemon Balm aerial parts, Heal All aerial parts in flower, Usnea thallus, Gray's Lovage root, Oregon Grape root & fruit, Isatis root, Echinacea angustifolia root, Poke root, citric acid
IMMU-718	Y			Happy Woodsmen	Ingredients: water, alcohol, Teasel root, Stillingia root, Andrographis aerial parts in flower, Gray's Lovage root, Roundleaf Greenbriar root, Echinacea angustifolia root, Poke root, Southern Prickly Ash bark, Chaparral aerial parts in flower, Sweet Wormwood aerial parts in flower, Japanese Knotweed rhizome, vegetable glycerin
IMMU-742	X			No Grow	Ingredients: water, alcohol, Desert Willow leaf & flower, Western Red Cedar branch tips, Spilanthes aerial parts in flower, Usnea thallus, Calendula flower, Black Walnut hulls, Clove bud, vegetable glycerin *CONTAINS WALNUT
IMMU-744	Y			Herbal Biotic	Ingredients: water, alcohol, vegetable glycerin, Echinacea angustifolia root, European Elder fruit, Horseradish root, Thyme aerial parts in flower, Oregon Grape root & fruit, Poke root, Gray's Lovage root, Ginger rhizome, Wild Indigo root, Chaparral aerial parts in flower, citric acid

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
MALE-271	X			Plum to Prune	Ingredients: water, alcohol, vegetable glycerin, Stinging Nettle rhizome & root, Saw Palmetto fruit, Fireweed aerial parts in flower, Khella fruit, Alfalfa aerial parts, Ginger rhizome, Ocotillo bark, citric acid
MALE-286	Z			Deep Roots	Ingredients: water, alcohol, vegetable glycerin, Licorice root, Button Eryngo root, Towering Lousewort aerial parts in flower, Echinacea angustifolia root, Saw Palmetto fruit, Ashwagandha root, Horsetail aerial parts (sterile shoots), Ginger rhizome, Western Pasque Flower aerial parts in seed, Ocotillo bark, citric acid
NEUR-948	Y			ElephanTonic	Ingredients: water, alcohol, vegetable glycerin, Gotu Kola whole plant, Ginkgo leaf, Rosemary aerial parts, Bacopa whole plant, Calamus rhizome, Sagebrush aerial parts, White Sage aerial parts, citric acid
NEUR-952	X	LD		Sleepies	Ingredients: water, alcohol, vegetable glycerin, Passionflower aerial parts in flower, Pacific Valerian root, Hops strobile, Motherwort aerial parts in flower, Jamaica Dogwood bark, Western Pasque Flower aerial parts in seed, Gelsemium root, citric acid
NEUR-977	X			Gentle Dreams	Ingredients: vegetable glycerin, water, alcohol, Pacific Valerian root, Catnip aerial parts, Passionflower aerial parts in flower, Rose flower, Skullcap aerial parts in flower, Lemon Balm aerial parts, Linden leaf & flower, citric acid
NEUR-994	Y	LD		Warmer & Sunnier	Ingredients: water, alcohol, vegetable glycerin, Motherwort aerial parts in flower, Skullcap aerial parts in flower, Pacific Valerian root, Jamaica Dogwood bark, Willow bark, Feverfew aerial parts in flower, Corydalis yanhusuo rhizome, Western Pasque Flower aerial parts in seed, Sichuan Aconite root, apple cider vinegar, citric acid
ORAL-624	Z			Armed to the Teeth (with Bloodroot)	Ingredients: water, alcohol, vegetable glycerin, Echinacea angustifolia root, Chinese Skullcap root, Gotu Kola whole plant, Horsetail aerial parts (sterile shoots), Calendula flower, Himalayan Blackberry root, White Sage aerial parts, Yerba Mansa root, Ginger rhizome, Bloodroot root, citric acid

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
PEDI-425	X			Out of Thin Air (Pediatric)	Ingredients: water, alcohol, vegetable glycerin, Khella fruit, Blue Elder flower, Horehound aerial parts in flower, Yerba Santa leaf, Gray's Lovage root, Canadian Goldenrod aerial parts in flower, Arrowleaf Balsamroot root, Licorice root, Mullein flower, Lobelia aerial parts in flower & fruit, apple cider vinegar, citric acid
PEDI-481	Y			Huff and Puff	Ingredients: vegetable glycerin, water, alcohol, Echinacea angustifolia root, Blue Elder flower, Catnip aerial parts, Gray's Lovage root, Yarrow aerial parts in flower, Cleavers aerial parts in flower, St. John's Wort aerial parts in flower, Licorice root, citric acid
PREG-112	Y			Mother's Milk	Ingredients: water, alcohol, vegetable glycerin, Goat's Rue aerial parts in flower, Alfalfa aerial parts, Anise fruit, Stinging Nettle leaf, Fenugreek seed, Milk Thistle fruit, Chaste Tree mature fruit, citric acid
PREG-132	Z			Hold Your Horses	Ingredients: water, alcohol, vegetable glycerin, Cramp Bark bark, Yellow Pond-Lily rhizome, Yarrow aerial parts in flower, Skullcap aerial parts in flower, Khella fruit, Partridge Berry leaf & fruit, Chaste Tree mature fruit, Jamaica Dogwood bark, citric acid
PREG-139	Y			Leto, Titan of Motherhood Glycerite	Ingredients: vegetable glycerin, water, Black Cherry bark, Himalayan Blackberry root, Stinging Nettle leaf, Alfalfa aerial parts, Dandelion leaf & root, Oat seed (milk stage), Cramp Bark bark, citric acid, trace alcohol
RESP-410	Y			Hackin' It	Ingredients: water, alcohol, vegetable glycerin, Arrowleaf Balsamroot root, Echinacea angustifolia root, Yerba Santa leaf, Licorice root, California Spikenard root, Gray's Lovage root, Stillingia root, Pleurisy Root root, citric acid
RESP-438	Y			Fresh Air	Ingredients: water, alcohol, vegetable glycerin, Echinacea angustifolia root, Canadian Goldenrod aerial parts in flower, Horseradish root, Yerba Mansa root, Eyebright aerial parts, Thyme aerial parts in flower, Licorice root, citric acid

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
RESP-457	Z			Bark Is Worse Than the Bite	Ingredients: water, alcohol, vegetable glycerin, Yerba Santa leaf, Lungwort Lichen thallus, Khella fruit, Anise fruit, Horehound aerial parts in flower, Black Cherry bark, Lobelia aerial parts in flower & fruit, Ginger rhizome, Licorice root, apple cider vinegar, citric acid
RESP-464	Y			Out of Thin Air	Ingredients: water, alcohol, vegetable glycerin, Eyebright aerial parts, Khella fruit, Blue Elder flower, Gray's Lovage root, Arrowleaf Balsamroot root, Thyme aerial parts in flower, Mullein leaf, Lobelia aerial parts in flower & fruit, Cayenne fruit, apple cider vinegar, citric acid
UROL-215	Y			Pacify the Rapids	Ingredients: water, alcohol, Cramp Bark bark, Kava root, Khella fruit, Ocotillo bark, Ginger rhizome, Button Eryngo root, vegetable glycerin
UROL-311	Y			Two Treasures	Ingredients: water, alcohol, vegetable glycerin, Codonopsis root, Pellitory-of-the-Wall aerial parts in flower, Astragalus root, Round-Head Lespedeza aerial parts, Chinese Rhubarb root, Licorice root, Cinnamon bark, Stinging Nettle seed, citric acid
UROL-332	Y			No Moss (Acute)	Ingredients: water, alcohol, vegetable glycerin, Khella fruit, Dandelion leaf, Canadian Goldenrod aerial parts in flower, Madder root, Horse Chestnut seed, Saw Palmetto fruit, Lobelia aerial parts in flower & fruit, apple cider vinegar, citric acid
UROL-333	Y			No Moss (Chronic)	Ingredients: water, alcohol, vegetable glycerin, Madder root, Khella fruit, Tribulus aerial parts in seed, Couch Grass rhizome, Dandelion leaf, Oregon Grape root & fruit, Gravel Root root, Horsetail aerial parts (sterile shoots), citric acid
UROL-369	X			Clean Waters	Ingredients: water, alcohol, Pacific Madrone leaf, Buchu leaf, Canadian Goldenrod aerial parts in flower, Echinacea angustifolia root, Juniper fruit, White Sage aerial parts, Ginger rhizome, vegetable glycerin
WOME-101	Y			The Pause	Ingredients: water, alcohol, vegetable glycerin, Black Cohosh rhizome & root, Chaste Tree mature fruit, White Sage aerial parts, Dong Quai root, Motherwort aerial parts in flower, Yellow Pond-Lily rhizome, Cramp Bark bark, Alfalfa aerial parts, Licorice root, citric acid

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
WOME-102	Y			Great Expectations (Follicular)	Ingredients: water, alcohol, vegetable glycerin, Black Cohosh rhizome & root, Alfalfa aerial parts, Motherwort aerial parts in flower, Chaste Tree mature fruit, Yellow Pond-Lily rhizome, Dandelion root, Licorice root, citric acid
WOME-103	Y			Great Expectations (Luteal)	Ingredients: water, alcohol, vegetable glycerin, Chaste Tree mature fruit, Dandelion leaf, Blue Vervain aerial parts in flower, Lady's Mantle aerial parts in flower, Roundleaf Greenbriar root, Wild Yam root, Rhodiola root, citric acid
WOME-107	Y			Artemis' Formula (Follicular)	Ingredients: water, alcohol, vegetable glycerin, Yellow Pond-Lily rhizome, Alfalfa aerial parts, Chaste Tree mature fruit, Dong Quai root, Black Cohosh rhizome & root, Milk Thistle fruit, Ocotillo bark, Licorice root, citric acid
WOME-108	Y			Artemis' Formula (Luteal)	Ingredients: water, alcohol, vegetable glycerin, Roundleaf Greenbriar root, Dandelion root, Lady's Mantle aerial parts in flower, Wild Yam root, Chinese Peony root without bark ("White Peony"), Cramp Bark bark, Desert Ceanothus root, citric acid
WOME-126	X			Lady of the Lake	Ingredients: water, alcohol, vegetable glycerin, Cramp Bark bark, Chinese Peony root without bark ("White Peony"), Black Cohosh rhizome & root, Motherwort aerial parts in flower, Pacific Valerian root, Western Pasque Flower aerial parts in seed, Blue Vervain aerial parts in flower, citric acid
WOME-152	Y			Against the Wall (Follicular)	Ingredients: water, alcohol, vegetable glycerin, Lady's Mantle aerial parts in flower, Ocotillo bark, White Ash bark, Yarrow aerial parts in flower, Dong Quai root, Yellow Pond-Lily rhizome, Motherwort aerial parts in flower, Partridge Berry leaf & fruit, Chaste Tree mature fruit, Poke root, citric acid
WOME-153	Y			Against the Wall (Luteal)	Ingredients: water, alcohol, vegetable glycerin, Rhodiola root, White Ash bark, Cramp Bark bark, Ocotillo bark, Lady's Mantle aerial parts in flower, Roundleaf Greenbriar root, Chinese Peony root without bark ("White Peony"), Motherwort aerial parts in flower, Oregon Grape root, Poke root, citric acid
WOME-155	Y	LD		Turska-Like Formula	Ingredients: water, alcohol, Poke root, Red Bryony root, Gelsemium root, Sichuan Aconite root, vegetable glycerin

Formula Code	Price	Low Dose	External Use	Formula Name	Formula Ingredients
WOME-174	Z			Inconsistent Moon (Follicular)	Ingredients: water, alcohol, vegetable glycerin, Black Cohosh rhizome & root, Chaste Tree mature fruit, Alfalfa aerial parts, Yellow Pond-Lily rhizome, Licorice root, Goat's Rue aerial parts in flower, Saw Palmetto fruit, Dandelion root, Ocotillo bark, citric acid
WOME-178	Z			Inconsistent Moon (Luteal)	Ingredients: water, alcohol, vegetable glycerin, Chaste Tree mature fruit, Roundleaf Greenbriar root, Lady's Mantle aerial parts in flower, Goat's Rue aerial parts in flower, Astragalus root, Oregon Grape root & fruit, Saw Palmetto fruit, Dandelion leaf, Cinnamon bark, Desert Ceanothus root, citric acid



External Use

FORMULAS

Formula Code	\$	Formula Name	Formula Ingredients
DERM-601	Z	Achilles' Cream	Ingredients: Calendula cream, Garlic cream, Balsam Poplar leaf buds, Oregon Grape root & fruit, Western Red Cedar branch tips
DERM-602	Z	Banishing Cream	Ingredients: Chickweed cream, Gotu Kola whole plant, vitamin E oil
DERM-681	Z	Achilles' Ointment	Ingredients: Olive oil, English Plantain leaf, Echinacea angustifolia root, Calendula flower, St. John's Wort aerial parts in flower, Balsam Poplar leaf buds, Garlic bulb, beeswax, vitamin E oil
DERM-683	Z	Bandage Balm	Ingredients: Olive oil, Calendula flower, St. John's Wort aerial parts in flower, English Plantain leaf, Heal All aerial parts in flower, beeswax, vitamin E oil
DERM-684	Z	Triple-L Ointment	Ingredients: Olive oil, Lavender flower, Lemon Balm aerial parts, Chaparral aerial parts in flower, beeswax, vitamin E oil

CREAMS & OILS

Product Code	\$	Latin Name	Product name
ALLI-SAT-CR	X	<i>Allium sativum</i>	Garlic cream
ALLI-SAT-ZR	Z	<i>Allium sativum</i>	Garlic infused in olive oil
ARNI-COR-ZF	Z	<i>Arnica cordifolia</i>	Arnica infused olive oil
CALE-OFF-CF	X	<i>Calendula officinalis</i>	Calendula cream
CALE-OFF-ZF	Z	<i>Calendula officinalis</i>	Calendula infused olive oil
HYPE-PER-ZA	Z	<i>Hypericum perforatum</i>	St. John's Wort infused olive oil
MELA-ALT-CA	Z	<i>Melaleuca alternifolia</i>	Tea Tree Cream
POPU-BAL-ZL	Z	<i>Populus balsamifera</i>	Balsam Poplar infused olive oil
STEL-MED-CA	X	<i>Stellaria media</i>	Chickweed Cream
VERB-SPP-ZF	C	<i>Verbascum spp.</i>	Mullein flower infused in olive oil